

# Your Personal **SMART** Report



**Insightful**



**Engaging**




**Actionable**

---

**Wellwise Total Plus**

---



Booking ID -

Collection Date-

Reporting Date -



B2B3402760

# Your Health Summary

Name:	Lab ID:	Collection Date/Time:	I
Age/Gender:	Ref Doctor:	Receiving Date:	
Max ID/Mobile:	Passport No:	Reporting Date:	
Centre:	OP/IP No:		

## Lipid Profile

Please Watchout	
Test Name	Result
HDL : LDL ratio	0.59

## Liver Profile

Please Watchout	
Test Name	Result
Direct Bilirubin	0.320
ALP	135

## Kidney And Electrolyte Profile

Please Watchout	
Test Name	Result
Uric Acid	6.6
Potassium	3.32
Chloride	96

## Vitamin Profile

Please Watchout	
Test Name	Result
Vitamin D (25-Hydroxy)	20.74

## Thyroid Profile


All parameters within normal limit

## Diabetes Monitoring

All parameters within normal limit

## Blood Counts And Anemia

+ 5 tests Please Watchout	
Test Name	Result
Haemoglobin	11.0
Haematocrit	34.3
RBC count	3.77



# Report Summary



B2B3402760

Name: N	Lab ID:	Collection Date/Time:
Age/Gender: 6f	Ref Doctor:	Receiving Date:
Max ID/Mobile: M	Passport No:	Reporting Date:
Centre: 2f	OP/IP No:	

## Profile Summary

**NORMAL**

Diabetes Monitoring, Thyroid Profile, Hepatitis

**BORDERLINE**

Blood Clotting, Kidney And Electrolyte Profile, Lipid Profile, Liver Profile, Vitamin Profile, Urinalysis

**ABNORMAL**

Blood Counts And Anemia, Inflammation

● Normal (N) ● Low (L) ● Borderline (BL) ● High (H) ● No Ref Range



## BLOOD COUNTS AND ANEMIA

Test Name	Result	Unit	Range
● <b>Haemoglobin</b>	<b>11.0</b>	g/dl	12-15
● <b>Haematocrit</b>	<b>34.3</b>	%	36-46
● Total Leukocyte Count	7920	/μL	4000-10000
● <b>RBC count</b>	<b>3.77</b>	mill/μL	3.8-4.8
● MCV	91.0	fl	81-99
● MCH	29.1	Pg	27-32
● MCHC	31.9	g/dl	31.5-34.5
● RDW	14.2	%	11-16
● Neutrophils	74.7	%	40-80
● <b>Lymphocytes</b>	<b>14.8</b>	%	20-40
● Monocytes	9.2	%	2-10
● <b>Eosinophils</b>	<b>1.2</b>	%	2-6
● Basophils	0.1	%	0-2
● Abs. Neutrophil Count	5916.24	/μL	2000-7000
● Abs. Lymphocyte Count	1172.2	/μL	1000-3000
● Abs. Monocyte Count	728.64	/μL	200-1200
● Abs. Eosinophil Count	95.04	/μL	20-500
● <b>Abs. Basophil Count</b>	<b>7.92</b>	/μL	20-100
● PERIPHERAL SMEAR	RBC:- Normocytic / Normochromic WBC:- TLC-Normal DLC:- No abnormal cell seen. Platelets:-Adequate on smear. No hemoparasite seen on thin smear examined.		
● <b>Iron</b>	<b>29.01</b>	μg/dl	37-145
● UIBC	258.4	μg/dL	135-392
● TIBC	287.41	μg/dl	265-497
● <b>% Saturation Transferrin</b>	<b>10.09</b>	%	30-50
● Ferritin	96.36	ng/mL	17-430

Max Lab - A Division of Max Healthcare Institute Ltd.

Swami Vivekananda Rd, near LIC, LIC Colony, Suresh Colony, Vile Parle West, Mumbai, Maharashtra 400056,

📞 Helpline No. 7982 100 200 🌐 www.maxlab.co.in 📧 feedback@maxlab.co.in

**Conditions of Reporting:** 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.

# Report Summary



B2B3402760

Name:	Lab ID:	Collection Date/Time:	4
Age/Gender:	Ref Doctor:	Receiving Date:	
Max ID/Mobile:	Passport N	Reporting Date:	
Centre:	OP/IP No:		



## BLOOD CLOTTING

Test Name	Result	Unit	Range
● Platelet Count	150	x 1000/ $\mu$ L	150-400
● MPV	<b>14.9</b>	fl	7-12



## INFLAMMATION

Test Name	Result	Unit	Range
● ESR	<b>49</b>	mm/hr	0-20
● CRP	<b>67.16</b>	mg/L	0-5



## DIABETES MONITORING

Test Name	Result	Unit	Range
● Blood Sugar (Fasting)	94.3	mg/dl	60-100
● HbA1c (Glycosylated Haemoglobin)	5.4	%	< 5.7
● Glycosylated Haemoglobin(Hb A1c) IFCC	34.96	mmol/mol	0-39
● eAG (Estimated Average Glucose)	106.84	mg/dL	
● Average Glucose Value(Past 3 Months IFCC)	5.92	mmol/L	

Max Lab - A Division of Max Healthcare Institute Ltd.

Swami Vivekananda Rd, near LIC, LIC Colony, Suresh Colony, Vile Parle West, Mumbai, Maharashtra 400056,

📞 Helpline No. 7982 100 200 🌐 [www.maxlab.co.in](http://www.maxlab.co.in) ✉ [feedback@maxlab.co.in](mailto:feedback@maxlab.co.in)

**Conditions of Reporting:** 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.













# Report Summary











B2B3402760

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	

## KIDNEY AND ELECTROLYTE PROFILE

Test Name	Result	Unit	Range
 <b>Uric Acid</b>	<b>6.6</b>	mg/dl	2.4-5.7
 Calcium	9.19	mg/dl	8.6-10.2
 Sodium	139.0	mEq/L	135-148
 <b>Potassium</b>	<b>3.32</b>	mEq/L	3.8-5.2
 <b>Chloride</b>	<b>96</b>	mEq/L	100-105
 Bicarbonate	24.1	mEq/L	22-29
 Phosphorus	4.06	mg/dl	2.5-4.5
 Blood Urea Nitrogen (BUN)	11	mg/dl	7-21
 Serum Creatinine	0.76	mg/dl	0.5-0.9
 BUN : Creatinine ratio	14.38		
 Blood Urea	23.4	mg/dl	19.3-42.6
 Glomerular Filtration Rate	77.51	mL/min/ 1.73m <sup>2</sup>	

## LIPID PROFILE

Test Name	Result	Unit	Range
 <b>HDL : LDL ratio</b>	<b>0.59</b>	Ratio	0.3-0.4
 Total Cholesterol : HDL ratio	3.4	Ratio	3.3-4.4
 Total Cholesterol	148	mg/dl	< 200
 HDL Cholesterol	44	mg/dl	0-60
 LDL Cholesterol	75	mg/dl	0-100
 Triglycerides	113.8	mg/dl	< 150
 VLDL	22.8	mg/dl	0-40
 Non - HDL Cholesterol	104.00	mg/dL	0-130

Max Lab - A Division of Max Healthcare Institute Ltd.

Swami Vivekananda Rd, near LIC, LIC Colony, Suresh Colony, Vile Parle West, Mumbai, Maharashtra 400056,

📞 Helpline No. 7982 100 200 🌐 [www.maxlab.co.in](http://www.maxlab.co.in) ✉ [feedback@maxlab.co.in](mailto:feedback@maxlab.co.in)

**Conditions of Reporting:** 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



# Report Summary



B2B3402760

Name: |  
Age/Gender: |  
Max ID/Mobile: |  
Centre: |

Lab ID:  
Ref Doctor:  
Passport No:  
OP/IP No:

Collection Date/Time:  
Receiving Date:  
Reporting Date:



## LIVER PROFILE

Test Name	Result	Unit	Range
<span style="color: red;">●</span> Direct Bilirubin	<b>0.320</b>	mg/dl	0-0.2
<span style="color: green;">●</span> Indirect Bilirubin	0.32	mg/dl	0-0.8
<span style="color: green;">●</span> SGOT (AST)	18.2	U/L	0-40
<span style="color: green;">●</span> SGPT (ALT)	13.5	U/L	0-40
<span style="color: lightblue;">●</span> AST / ALT Ratio	1.35		
<span style="color: red;">●</span> ALP	<b>135</b>	U/L	35-104
<span style="color: green;">●</span> GGT	17.0	U/L	1-40
<span style="color: green;">●</span> Protein (Total)	6.88	gm/dl	6.4-8.2
<span style="color: green;">●</span> Albumin	4.1	gm/dl	3.5-5.2
<span style="color: green;">●</span> Globulin	2.8	gm/dl	2-3.5
<span style="color: green;">●</span> Albumin : Globulin ratio	1.4	Ratio	0.8-2
<span style="color: green;">●</span> Total Bilirubin	0.644	mg/dl	0-1.2



## VITAMIN PROFILE

Test Name	Result	Unit	Range
<span style="color: red;">●</span> Vitamin D (25-Hydroxy)	<b>20.74</b>	ng/mL	30-100
<span style="color: green;">●</span> Vitamin B12	580.1	pg/mL	160-760



## THYROID PROFILE

Test Name	Result	Unit	Range
<span style="color: green;">●</span> Free T3 (Triiodothyronine)	2.36	pg/mL	2-4.4
<span style="color: green;">●</span> Free T4 (Thyroxine)	1.50	ng/dL	0.93-1.7
<span style="color: green;">●</span> TSH	0.522	mIU/L	0.27-4.2

Max Lab - A Division of Max Healthcare Institute Ltd.

Swami Vivekananda Rd, near LIC, LIC Colony, Suresh Colony, Vile Parle West, Mumbai, Maharashtra 400056,

📞 Helpline No. 7982 100 200 🌐 [www.maxlab.co.in](http://www.maxlab.co.in) ✉ [feedback@maxlab.co.in](mailto:feedback@maxlab.co.in)

**Conditions of Reporting:** 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.

# Report Summary



B2B3402760

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	

## HEPATITIS

Test Name	Result	Unit	Range
● HBsAg	Non Reactive		

## URINALYSIS

Test Name	Result	Unit	Range
● Urine Colour	PALE YELLOW		
● pH	6.0	.	4.5-8
● Specific Gravity	1.010	.	1.005-1.03
● Protein	ABSENT		
● Glucose in Urine	ABSENT	mg/dl	
● Ketone	ABSENT		
● Blood	ABSENT		
● Bilirubin	ABSENT		
● Urobilinogen	NORMAL		
● Nitrite	NEGATIVE		
● RBC	ABSENT		
● Leukocytes	4-6		
● Epithelial Cells	8-10		
● Casts	ABSENT		
● Crystals	ABSENT		
● Bacteria	+		

### Max Lab - A Division of Max Healthcare Institute Ltd.

Swami Vivekananda Rd, near LIC, LIC Colony, Suresh Colony, Vile Parle West, Mumbai, Maharashtra 400056,

📞 Helpline No. 7982 100 200 🌐 [www.maxlab.co.in](http://www.maxlab.co.in) ✉ [feedback@maxlab.co.in](mailto:feedback@maxlab.co.in)

**Conditions of Reporting:** 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



B2B3402760

## Blood Counts And Anemia

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	




### Constituents of your blood

CBC is a group of blood tests that evaluates the cells circulating in blood, including RBC, WBC and platelets. CBC can detect a variety of diseases like anaemia, infections and blood cancers.

### Your results


**Haemoglobin: 11.0 g/dl** LOW ●

Haemoglobin is present in the Red Blood Cells and it carries oxygen to the tissues. If Hb is less it causes anemia. Anemia because of low hemoglobin and is more common in women. Decrease in haemoglobin results in Anaemia. WBC are often raised in infections.




**RBC count: 3.77 mil/μL** LOW ●

The number of red blood cells in 1 microlitre of your blood. Low RBCs count indicates anemia.




**Haematocrit: 34.3%** LOW ●

Haematocrit means *how much of your blood is made up of RBCs*. Haematocrit is sometimes also called *PCV (Packed Cell Volume)*.



**MCV: 91.0 fl** NORMAL ●

This test indicates the size of RBCs. Healthy RBCs are neither too large nor too small.



### Differential leukocyte count

There are three types of granulocytes: neutrophils, eosinophils, basophils. They are the first line of defence - they fight bacterial infections and allergies.





B2B3402760

# Blood Counts And Anemia


Name: \_\_\_\_\_ Lab ID: \_\_\_\_\_ Collection Date/Time: \_\_\_\_\_  
 Age/Gender: \_\_\_\_\_ Ref Doctor: \_\_\_\_\_ Receiving Date: \_\_\_\_\_  
 Max ID/Mobile: \_\_\_\_\_ Passport No: \_\_\_\_\_ Reporting Date: \_\_\_\_\_  
 Centre: \_\_\_\_\_ OP/IP No: \_\_\_\_\_



**Total Leukocyte Count: 7920** / $\mu$ L

● NORMAL


Leukocyte is another name for WBC (white blood cell). WBCs are your body's 'defense department' - they respond immediately to infections by visiting the affected site(s) in your body. Too many WBCs might be because of some infection and too few WBCs also indicates some other problems in your body.



**MCH: 29.1** Pg

NORMAL ●


MCH level refers to the average amount of hemoglobin found in the red blood cells in the body.



**MCHC: 31.9** g/dl

NORMAL ●

This is the average concentration of hemoglobin in your red blood cells. Low value means hemoglobin is present in a lesser amount within your RBCs.



## RDW

### About

High RDW (Red cell Distribution Width) indicates that your RBCs are of variable sizes. If your RBCs are smaller than standard size or if your RBCs are bigger than normal size, in both cases, your RDW will come high. This test will help to know the type and reason for anemia. A high RDW could mean nutrient deficiencies.

RDW-CV and RDW-SD are two different values to understand RBCs size variation.

**RDW: 14.2** %

● NORMAL

Red cell Distribution Width-Coefficient of Variation.





B2B3402760

# Blood Counts And Anemia


Name:  
Age/Gender:  
Max ID/Mobile:  
Centre:

Lab ID:  
Ref Doctor:  
Passport No:  
OP/IP No:

Collection Date/Time:  
Receiving Date:  
Reporting Date:




**Lymphocytes: 14.8%** ●




Lymphocytes are a type of WBC. They increase in number in chronic and viral infections and play a major role in your immune system. Their number decreases with an increase in steroids.

**Abs. Lymphocyte Count: 1172.2/μL** ●



**Monocytes: 9.2%** ●




Monocytes are a type of white blood cell that fights bacteria and viruses. A high number of monocytes in the blood is caused by viral or parasitic infection, chronic inflammatory disease

**Abs. Monocyte Count: 728.64/μL** ●




**Neutrophils: 74.7%** ●




Neutrophils are the most abundant type of WBCs. They increase in number and respond rapidly in inflammatory processes (redness and swelling in response to the infection), tissue injury and bacterial infection.

**Abs. Neutrophil Count: 5916.24/μL** ●




**Eosinophils: 1.2%** ●




Eosinophils are white blood cells that fight infection. An allergic reaction, or cancers are most common causes of this disorder. Increased amounts of eosinophils can be present in your blood or tissues at the area of infection.

**Abs. Eosinophil Count: 95.04/μL** ●




**Basophils: 0.1%** ●



Basophils are WBC that release enzymes to fight harmful bacteria and germs, involved in allergic reactions, help to trigger inflammation and prevent blood clotting.

**Abs. Basophil Count: 7.92/μL** ●





B2B3402760

# Blood Counts And Anemia

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



## PERIPHERAL SMEAR:

**RBC:- Normocytic / Normochromic**

**WBC:- TLC-Normal**

**DLC:- No abnormal cell seen.**

**Platelets:-Adequate on smear.**

**No hemoparasite seen on thin smear examined.**


Peripheral Blood smear is examination of blood cells in a stained slide under the microscope by the pathologist. This will check the size and morphology of your platelets. This test will exclude the possibility of some bleeding disorders. It is recommended that morphology of WBC and RBC is also checked, as this will give additional information like proper production of blood cells from bone marrow.



**Iron: 29.01**  $\mu\text{g/dl}$

**LOW**


Iron is a trace element distributed in the body in a number of different compartments, including hemoglobin, tissue iron etc. Iron is transported from one organ to another by binding to a transport protein called transferrin.



**TIBC: 287.41**  $\mu\text{g/dl}$

**NORMAL**


This test measures the blood's ability to attach itself to iron.



**UIBC: 258.4**  $\mu\text{g/dL}$

**NORMAL**

This is the measure of reserve iron binding capacity. It measures the amount of transferrin that is free(not bound to iron) and is still available to bind iron.





B2B3402760

## Blood Counts And Anemia


Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



### % Saturation Transferrin 10.09 %

● LOW


This test measures the actual iron bound to transferrin in comparison to the maximum iron that can bind to transferrin. For example a value of 10% means that only 10% of iron binding capacity has been achieved. This test is used to identify hereditary abnormality in iron metabolism.



### Ferritin: 96.36 ng/mL

● NORMAL

Ferritin is a protein containing iron, concentration of which roughly reflects the body iron content in many individuals. Serum ferritin concentration is a sensitive indicator of iron deficiency. Serum Ferritin concentration is increased in many disorders like infection, inflammatory disorders like rheumatoid arthritis or renal disease etc.



## Did you know?

If any of your tests are abnormal, it does not confirm a medical problem. There are several factors like diet, lifestyle, women's menstrual cycle, medications, etc. Consult your doctor to know more.

**Dr. Ami Varaiya M.D**

Consultant & Head – Microbiology



B2B3402760

## Blood Clotting

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



## About Blood Coagulation

A Blood clot is a gel-like collection of blood. When formed on external injury, it seals your wounds and prevents excess blood loss. Blood coagulation (formation of blood clot) is a complex bioprocess involving many factors. Imbalance of these clotting factors causes bleeding problems. Both too little blood clotting and excessive blood clotting are health problems.

## Your results


### Platelet Profile

Platelets, which are tiny cells in your blood, have a very important role in blood coagulation. Whenever you get a cut or bleed, platelets stick together to form a blood clot.

**Platelet Count: 150** x 1000/ $\mu$ L

● NORMAL


Platelets may be reduced by intake of few medicines, infections like Dengue and other disorders.



**MPV: 14.9** fl

● HIGH

MPV (Mean Platelet Volume) is the average size of your platelets.



Max Lab - A Division of Max Healthcare Institute Ltd.

Swami Vivekananda Rd, near LIC, LIC Colony, Suresh Colony, Vile Parle West, Mumbai, Maharashtra 400056,

☎ Helpline No. 7982 100 200 🌐 [www.maxlab.co.in](http://www.maxlab.co.in) ✉ [feedback@maxlab.co.in](mailto:feedback@maxlab.co.in)

**Conditions of Reporting:** 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



B2B3402760

## Blood Clotting

Name:

Age/Gender:

Max ID/Mobile:

Centre:

Lab ID:

Ref Doctor:

Passport No:

OP/IP No:

Collection Date/Time:

Receiving Date:

Reporting Date:



### Did you know



A blood clot formed inside your blood vessels is very serious and can even cause a heart attack.

### This profile is done to:



Diagnose bleeding problems-If you bleed a lot after cuts or you get significant easy bruising. If your nose bleeds or if your bleeding from gums take more than normal time to stop.



Check your risk of developing blood clots inside your body- blood clots formed inside your blood vessels can block your vessels.



Check proper functioning of your liver- Normal levels of clotting factors means your liver is producing them properly.

**Dr. Ami Varaiya M.D**

Consultant & Head – Microbiology





B2B3402760

# Inflammation

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



## About

In simple words inflammation is your immune system’s response against infections, allergens and cell injury. Inflammation can affect any organ of your body and it generally causes redness, swelling and heat in the affected part. Inflammation can be acute (for a short period of time, for example in infection) or chronic (for a very long period of time or permanent, for example in arthritis). Excessive and persistent inflammation is damaging for your body. Chronic inflammation is associated with non-alcoholic fatty liver disease, diabetes, inflammatory bowel disease, asthma and autoimmune diseases etc

Being aware of your inflammatory status is the first step towards preventing yourself from complications of chronic inflammation. Remember, some chronic inflammations can even increase chances of developing cancers.

## Your results

**ESR: 49** mm/hr

**HIGH**

ESR is a simple blood test measured as the red cells fall through a column of blood. High ESR is common in disorders like infection, rheumatoid disease, tuberculosis. Fasting sample is not needed for ESR.



**CRP: 67.16** mg/L

**HIGH**

CRP is a glucose bound protein helping in detecting septicemia, meningitis and to assess the activity of inflammatory diseases like rheumatoid arthritis. It is increased after Heart Attack, stress, trauma, infection, inflammation, surgery, or cancer.





B2B3402760

## Inflammation

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



### Anti-inflammatory Diet



Incorporate chia seeds, sesame seeds, almonds, walnuts, sunflower seeds, avocados, olive oil, fatty fishes such as salmon, sardines and tuna, poppy seeds and flax seeds in your diet- These are rich in PUFA and MUFA and help lower inflammation.



Take yoghurt daily, especially with lactobacillus- Probiotics like yoghurt reduces levels of inflammatory cytokines in your body.



Substitute green tea for coffee



Black pepper, ginger, garlic and haldi should be added to the food- all these are antiinflammatory. Black pepper increases bioavailability of curcumin from turmeric

### Lifestyle tips



Identify the cause which triggers inflammation in your body- In inflammatory diseases like asthma, exposing yourself to allergens can cause medical emergencies.



Enjoy sitting or walking outdoors in some sunshine. Sunshine will produce vitamin D in your body and this vitamin has an important role in promoting a healthy immune system. Healthy immune system means a lower chance of developing inflammatory and autoimmune disease. Maintaining sufficient vitamin D in your body will protect you from developing cancers in old age



Intermittent fasting has shown to reduce inflammation



Exercise or practise yoga to control your obesity- Reducing harmful fat deposits in your body will give you some protection from inflammatory diseases.

**Dr. Ami Varaiya M.D**

Consultant & Head – Microbiology



B2B3402760

## Diabetes Monitoring

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



## About Diabetes Panel


Diabetes panel is used to check how much glucose/ sugar is there in your blood. High level of Glucose levels beyond standard levels increases chances of Diabetes.

## Your Results

**Blood Sugar (Fasting): 94.3** mg/dl

● NORMAL

It is measured as Glucose. Glucose is derived from carbohydrates in the diet (grains, starchy vegetables, and legumes). It is a source of energy. Pathologically increases in Shock, Burns, Diabetes Mellitus, Gigantism, Acromegaly, Pancreatic disease etc.



Some lifestyle changes can help keep your blood sugar levels in control



EAT LOW SUGAR FOODS THAT ARE  
MINIMALLY PROCESSED



EXERCISE REGULARLY



TAKE MEDICATIONS AS PER YOUR  
HEALTHCARE PROVIDER'S  
RECOMMENDATIONS

Max Lab - A Division of Max Healthcare Institute Ltd.

Swami Vivekananda Rd, near LIC, LIC Colony, Suresh Colony, Vile Parle West, Mumbai, Maharashtra 400056,

📞 Helpline No. 7982 100 200 🌐 [www.maxlab.co.in](http://www.maxlab.co.in) ✉ [feedback@maxlab.co.in](mailto:feedback@maxlab.co.in)

**Conditions of Reporting:** 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



B2B3402760

# Diabetes Monitoring

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	




**HbA1c (Glycosylated Haemoglobin): 5.4%**

● NORMAL

eAG (Estimated Average Glucose): 106.84 mg/dL

It refers to hemoglobin that has been modified by addition of glucose. HbA1C provides a useful index of average blood glucose over the preceding 6-8 weeks. Increased glycated hemoglobin is a reflection of hyperglycemia. People who have diabetes need this test regularly to see if their sugar levels are staying within range.



Some lifestyle changes can help keep our blood sugar levels in control



**Glycosylated Haemoglobin(Hb A1c) IFCC: 34.96 mmol/mol**

● NORMAL



**Average Glucose Value(Past 3 Months IFCC): 5.92 mmol/L**

Max Lab - A Division of Max Healthcare Institute Ltd.

Swami Vivekananda Rd, near LIC, LIC Colony, Suresh Colony, Vile Parle West, Mumbai, Maharashtra 400056,

☎ Helpline No. 7982 100 200 🌐 www.maxlab.co.in ✉ feedback@maxlab.co.in

**Conditions of Reporting:** 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



B2B3402760

## Diabetes Monitoring

Name:

Age/Gender:

Max ID/Mobile:

Centre:

Lab ID:

Ref Doctor:

Passport No:

OP/IP No:


Collection Date/Time:

Receiving Date:

Reporting Date:



### Importance of test



Out of 10 Indians who already have diabetes, 5 of them *don't even know* that they have diabetes.

### Diabetes Myths



Does diabetes happen **ONLY** because of sugar?

No. If you don't eat sugar or sweets, but still eat a lot of unhealthy foods, you can gain too much weight. That can also lead to diabetes.

**Dr. Ami Varaiya M.D**

Consultant & Head – Microbiology



B2B3402760

## Kidney And Electrolyte Profile

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



### Kidney Function Tests

The kidneys regulate and maintain the constant optimal chemical composition of the blood by filtration, reabsorption and excretion. Renal profile test is useful for screening and diagnosing impaired kidney function. Serum Urea and Creatinine are the most commonly used way of assessing the excretory function of the kidneys, both of which increase in diminished kidney function.

Sodium, potassium, chloride increase after intensive exercise, dehydration, excessive saline or steroid therapy. They decrease in gastrointestinal loss (e.g., vomiting, diarrhoea).

Bicarbonate is increased in poor gases exchange between lungs and blood (Pneumonia, Heart failure, lung destruction), and decreased in over ventilation, diabetes mellitus, renal failure etc.

#### Symptoms that may indicate a problem with your kidneys include:



High blood pressure



Difficulty beginning urination



Blood in the urine



Painful urination



Frequent urges to urinate



Swelling of the hands and feet due to a buildup of fluids in the body

A single symptom may not mean something serious. However, when occurring simultaneously, these symptoms suggest that your kidneys aren't working properly. Kidney function tests can help determine the reason.

You may also need kidney function testing done if you have other conditions that can harm the kidneys, such as diabetes or high blood pressure. They can help doctors monitor these conditions.

### Your Results

Max Lab - A Division of Max Healthcare Institute Ltd.

Swami Vivekananda Rd, near LIC, LIC Colony, Suresh Colony, Vile Parle West, Mumbai, Maharashtra 400056,

☎ Helpline No. 7982 100 200 🌐 [www.maxlab.co.in](http://www.maxlab.co.in) ✉ [feedback@maxlab.co.in](mailto:feedback@maxlab.co.in)

**Conditions of Reporting:** 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.





B2B3402760

# Kidney And Electrolyte Profile


Name: \_\_\_\_\_ Lab ID: \_\_\_\_\_ Collection Date/Time: \_\_\_\_\_  
 Age/Gender: \_\_\_\_\_ Ref Doctor: \_\_\_\_\_ Receiving Date: \_\_\_\_\_  
 Max ID/Mobile: \_\_\_\_\_ Passport No: \_\_\_\_\_ Reporting Date: \_\_\_\_\_  
 Centre: \_\_\_\_\_ OP/IP No: \_\_\_\_\_



**Uric Acid: 6.6** mg/dl

● HIGH

Uric Acid is a breakdown product of genetic material present in cells. Most of the uric acid excreted is lost in the urine. Physiologically serum uric acid is increased after severe exercise, after fasting or a high fat diet. Pathologically is increased in gout, cancer, renal failure etc.



### Some causes for a high uric acid level



ALCOHOL, HIGH-FAT DAIRY, FAST FOODS



"CRASH DIETS", OVER-FASTING




CERTAIN MEDICINES - ASK YOUR DOCTOR

**Calcium: 9.19** mg/dl

● NORMAL

Calcium is the mineral vital for bone health. It is increased in cancer, high vitamin D intake, in chronic renal failure patients, hyperparathyroidism while it is decreased in hypoparathyroidism, vitamin D deficiency, pancreatic disease etc.



### Some calcium-rich foods include:



DAIRY PRODUCTS, SUCH AS MILK, CHEESE, AND YOGURT, BEANS, FIGS, BROCCOLI, TOFU, SOY



MILK, SPINACH, FORTIFIED CEREALS, NUTS AND SEEDS, INCLUDING ALMONDS AND SESAME SEEDS

Before taking calcium supplements, talk to a doctor. Taking in too much calcium, an issue called hypercalcemia, can increase the risk of cardiovascular disease, kidney stones, and other serious health problems.

When a deficiency is severe or when supplements and dietary adjustments are not achieving sufficient results, a doctor may prescribe calcium supplements.




B2B3402760

# Kidney And Electrolyte Profile



Name: \_\_\_\_\_ Lab ID: \_\_\_\_\_ Collection Date/Time: \_\_\_\_\_  
 Age/Gender: \_\_\_\_\_ Ref Doctor: \_\_\_\_\_ Receiving Date: \_\_\_\_\_  
 Max ID/Mobile: \_\_\_\_\_ Passport No: \_\_\_\_\_ Reporting Date: \_\_\_\_\_  
 Centre: \_\_\_\_\_ OP/IP No: \_\_\_\_\_

**Sodium: 139.0** mEq/L ●




Sodium plays a key role in your body. It helps maintain normal blood pressure, supports the work of your nerves and muscles, and regulates your body's fluid balance.

Both dehydration and retention of excess water in the body causes abnormal levels of sodium. During athletic activity, your body loses sodium through your sweat.

**Foods rich in sodium**



**Potassium: 3.32** mEq/L ●



Eating potassium-rich foods removes excess sodium from the body thus ensuring that your blood pressure doesn't become too high.

**Food sources of potassium**




MILK AND DAIRY PRODUCTS



FRUITS (APRICOTS, BANANAS, CITRUS FRUITS)

**Chloride: 96** mEq/L ●



Chloride helps move fluids in and out of cells in your body. It's also an essential component of digestive juices.

**Food sources of chloride**




SALT



TOMATOES

**Bicarbonate: 24.1** mEq/L ● NORMAL





B2B3402760

# Kidney And Electrolyte Profile


Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



**Phosphorus: 4.06** mg/dl

● NORMAL

Inorganic phosphorus is a major component of bone and plays an important role in the structural support of the body. They are involved in regulation of metabolism of proteins, fats, and carbohydrates, and are excreted by kidneys. Increased levels are seen in bone tumors, vitamin D intoxication, healing fractures, renal failure, hyperparathyroidism etc.




### Food sources of Phosphorus



**Blood Urea Nitrogen (BUN): 11** mg/dl

● NORMAL


BUN (mg/dl) = Urea (mg/dl) / 2.1428. Its value depends upon the level of Blood Urea.



**Serum Creatinine: 0.76** mg/dl

● NORMAL

Creatinine is a waste product present in all body fluids and secretions, and is freely filtered by the kidney. It is produced each day and is related to muscle mass (and body weight). It is increased in diminished renal function.



**BUN : Creatinine ratio: 14.38**

The ideal ratio of BUN to creatinine falls between 10-to-1 and 20-to-1. Having a ratio above this range could mean you may not be getting enough blood flow to your kidneys



B2B3402760

## Kidney And Electrolyte Profile


Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



**Blood Urea: 23.4** mg/dl

● NORMAL

Urea is the nitrogenous waste product generated from protein breakdown. It is eliminated from the body almost exclusively by the kidneys in urine.



**Glomerular Filtration Rate: 77.51** ml/min/ 1.73m<sup>2</sup>

eGFR is estimated GFR calculated by the abbreviated MDRD equation taking into account your age, gender, ethnicity and Serum Creatinine level. It tells how well your kidneys are removing waste from your body

### Tips



**Your kidneys can be ill even if you're fine.** Your kidneys can have a disease but your body might not show any effects of that.



**Your BP (blood pressure)** is an important factor for the health of your kidneys. Your doctor may check your BP - high BP for a long time can damage your kidneys.

**Dr. Ami Varaiya M.D**  
Consultant & Head – Microbiology



B2B3402760

## Lipid Profile

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



## About Lipid Profile

Lipids are ubiquitous in body tissues and have an important role in virtually all aspects of life – serving as hormones, aiding in digestion, providing energy storage and metabolic fuels, acting as functional and structural components of cell membranes. A complete lipid profile is done to determine whether your cholesterol is high and to estimate your risk of heart attacks and other forms of heart disease and diseases of the blood vessels. If your results show that your cholesterol level is high, you might be able to lower your cholesterol with lifestyle changes, such as quitting smoking, exercising and eating a healthy non fatty diet. If lifestyle changes aren't enough, a visit to your doctor and cholesterol-lowering medications will help.

## Your results


### Ratios

#### About

Ratios are calculated to check the amount of good lipids as compared to bad lipids in the body. In a healthy person, good lipids should be greater than bad lipids. As per latest research, ratios are better predictors of heart disease risk as compared to individual biomarkers like LDL.


**Total Cholesterol : HDL ratio: 3.4** Ratio ● NORMAL

Higher the cholesterol:HDL ratio, worse it is for your heart. The ideal cholesterol:HDL ratio is 3.5. You should aim to keep your ratio below 5.




**HDL : LDL ratio: 0.59** Ratio ● HIGH

This is the hdl to ldl ratio. A ratio between 0.3 and 0.4 is considered good.



**Total Cholesterol: 148** mg/dl ● NORMAL

High cholesterol is bad for your heart, as high cholesterol combines with other substances to form plaque, which causes obstruction in the arteries (vessels that carry oxygen-rich blood from heart to all the parts of your body).






B2B3402760


# Lipid Profile

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	




**LDL Cholesterol: 75** mg/dl NORMAL ●

LDL (Low-Density Lipoprotein) is "bad" cholesterol because it deposits fat around your blood vessels to cause heart disease




**HDL Cholesterol: 44** mg/dl NORMAL ●

Heart friendly cholesterol HDL reduces your chances of heart disease by removing harmful bad cholesterol.



**Triglycerides: 113.8** mg/dl ● NORMAL

The most common type of fat stored in your body. Triglycerides rise in your blood after you have a meal - as your body converts energy that is not needed right away - into fat. Triglyceride is often increased in obesity and type 2 diabetes. HDL particles are anti-atherogenic appearing to have anti-inflammatory, antioxidant and anticoagulant properties.




**VLDL: 22.8** mg/dl ● NORMAL

VLDL is made by your liver and is used to carry triglycerides to your tissues.



**Non - HDL Cholesterol: 104.00** mg/dL ● NORMAL

Non-HDL cholesterol is basically your HDL number subtracted from your total cholesterol number. So, in other words, it's all the "bad" types of cholesterol. Ideally, you want this number to be lower rather than higher.







B2B3402760

## Lipid Profile

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



## Risk Factors

Heart diseases are the leading cause of death in India. It's vital to take preventive measures and get your lipid profile checked regularly.

What are the chances that you might get heart disease? The answer depends on something called *risk factors*. More risk factors means more chances of heart disease. Some risk factors are outside your control and some are in your control.

### Factors outside your control



**People older than age 65** are more prone to heart diseases. Additionally, men are more prone than women.



**If your family has heart disease**, you are also at risk. Indians have a genetic tendency to accumulate fat in the belly.

### Factors in your control



**High BP (blood pressure)** increases the load on your heart. BP can be controlled to reduce the risk.



**Regular exercise** keeps the heart healthy. It should be moderate to vigorous physical activity.



**In case you are overweight**, reducing your weight helps reduce your cholesterol.



**Diabetes patients** also risk having heart disease because high blood glucose over a long period of time damages the blood vessels and nerves in your body.

**Dr. Ami Varaiya M.D**


Consultant & Head – Microbiology



B2B3402760

## Liver Profile

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



## Liver Function Tests

The liver plays an important role in the metabolism, digestion, detoxification, synthesis, storage and elimination of substances from the body.

Bilirubin (Total and Direct) is increased in Hepatocellular damage, hepatic biliary tree obstruction, haemolytic disease and neonatal physiological jaundice.

SGOT/ AST and SGPT/ ALT Increased in viral hepatitis, liver cell injury of any cause, and drug induced injury to liver.

## Your results

### Direct Bilirubin 0.320 mg/dl

● HIGH

Your liver converts indirect bilirubin to direct bilirubin and then sends it to your small intestine. Too much direct bilirubin is also a sign of an unhealthy liver.

<b>Total Bilirubin</b>	<b>0.644 mg/dl</b>	0-1.2	<span style="color: green;">●</span> NORMAL
<b>Indirect Bilirubin</b>	<b>0.32 mg/dl</b>	0-0.8	<span style="color: green;">●</span> NORMAL



## Enzymes

### About

Enzymes found in your liver are responsible for various processes that maintain body functions. These enzymes are leaked into your blood when your liver suffers damage.

### SGOT (AST): 18.2 U/L

NORMAL ●

AST is an enzyme your liver makes. Other organs, like your heart, kidneys, brain, and muscles, also make smaller amounts. AST is also called SGOT (serum glutamic-oxaloacetic transaminase). Normally, AST levels in your blood are low. When your liver is damaged, it puts more AST into your blood, and your levels rise.



### SGPT (ALT): 13.5 U/L

NORMAL ●

SGPT is mostly concentrated in your liver and is a vital indicator of your liver's health. It is also called alanine aminotransferase. Serum ALT level, serum AST (aspartate transaminase) level, and their ratio (AST/ALT ratio) are commonly measured as biomarkers for liver health.






B2B3402760

## Liver Profile

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	




**AST / ALT Ratio: 1.35**

**ALP: 135<sup>U/L</sup>**

● HIGH


Alkaline phosphatase (ALP) is an essential enzyme found primarily in the liver and bones, but also in small amounts in the intestines, placenta, and kidneys. Increased in bone formation, bone disease, renal disease, liver disease.



**GGT: 17.0<sup>U/L</sup>**

● NORMAL

GGT (*Gamma-Glutamyl Transferase*) is the most sensitive enzyme of your liver. It rises whenever there is an obstruction in the passage between your liver and intestine. Regular alcohol drinking increases GGT levels.



### Some causes for a high GGT level



ALCOHOL, SMOKING




CERTAIN MEDICINES - ASK YOUR DOCTOR

**Protein (Total): 6.88<sup>gm/dl</sup>**

● NORMAL

Proteins help in your overall growth and development and also transport important substances through your blood.






B2B3402760

## Liver Profile

Name:	Lab ID:	Collection Date/Time:	
Age/Gender:	Ref Doctor:	Receiving Date:	
Max ID/Mobile:	Passport No:	Reporting Date:	
Centre:	OP/IP No:		

**Albumin: 4.1** gm/dl NORMAL ●

Albumin is the most abundant circulating protein found in plasma. It represents half of the total protein content. It plays an important role in the transport of important substances like vitamins, hormones, etc. It also helps in the fat metabolism in the body.




**Globulin: 2.8** gm/dl NORMAL ●

The globulin is a group of proteins made by the immune system in your liver. It plays an important role in liver function, blood clotting and fighting infection.



**Albumin : Globulin ratio: 1.4** Ratio ● NORMAL

Sometimes abbreviated as *A/G ratio*, this is simply the amount of albumin *divided* by the amount of globulin.



### Tips



Exercising regularly uses triglycerides as fuel and keeps your liver healthy.



Avoid excess alcohol  
Alcoholic beverages destroy and scar your liver cells.



Olive oil is an excellent choice. It accumulates less fat in your liver.

**Dr. Ami Varaiya M.D**  
Consultant & Head – Microbiology



B2B3402760

## Vitamin Profile

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



## About Vitamin Profile

Vitamins and minerals are considered essential nutrients as they perform hundreds of roles in the body. They help maintain bones, heal wounds, and strengthen your immune system. They also convert food into energy, and repair cellular damage.


## Your results

**Vitamin D (25-Hydroxy): 20.74<sub>ng/mL</sub>**

● LOW

Vitamin D, also called “wellness vitamin” is produced endogenously through exposure of skin to sunlight, and is absorbed from foods containing or supplemented with vitamin D.

Only a few foods, primarily fish liver oils, fatty fish, egg Yolks, and liver, naturally contain significant amounts of vitamin D. It is metabolized to its biologically active form, 1, 25 – Dihydroxyvitamin D, a hormone that regulates calcium and phosphorus metabolism.



### Symptoms of vitamin D Deficiency:



DEFICIENCY MAY INCLUDE: BONE AND BACK PAIN, LOW MOOD, FATIGUE, MUSCLE PAIN, HAIR LOSS, IMPAIRED WOUND HEALING.

Max Lab - A Division of Max Healthcare Institute Ltd.

Swami Vivekananda Rd, near LIC, LIC Colony, Suresh Colony, Vile Parle West, Mumbai, Maharashtra 400056,

☎ Helpline No. 7982 100 200 🌐 [www.maxlab.co.in](http://www.maxlab.co.in) ✉ [feedback@maxlab.co.in](mailto:feedback@maxlab.co.in)

**Conditions of Reporting:** 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



B2B3402760

## Vitamin Profile


Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



**Vitamin B12: 580.1** pg/mL

● NORMAL

Vitamin B12, also known as cyanocobalamin, is water soluble vitamin that is required for the maturation of erythrocytes (RBCs). Vitamin B12 is tested for patients with GIT disease, Neurological disease, psychiatric disturbances, malnutrition, alcohol abuse and anemia



### Food Sources of Vitamin B12:



ANIMAL SOURCES INCLUDE: DAIRY PRODUCTS, EGGS, FISH, MEAT, AND POULTRY.



FISH, SHELLFISH, CHICKEN



EGGS, POULTRY

### Symptoms of Vitamin B12 Deficiency:



WEAKNESS, TIREDNESS, NERVE PROBLEMS LIKE NUMBNESS OR TINGLING, MUSCLE WEAKNESS, AND PROBLEMS WALKING,



HEART PALPITATIONS AND SHORTNESS OF BREATH, A SMOOTH TONGUE



CONSTIPATION, DIARRHEA, LOSS OF APPETITE, MENTAL PROBLEMS LIKE DEPRESSION, MEMORY LOSS, OR BEHAVIORAL CHANGES

## Tips



**Balanced Diet-** A balanced diet can take care of all the vitamin needs of your body.



**Consult Doctor-** Consult your doctor before taking any vitamin supplements.

*Ami Varaiya*

**Dr. Ami Varaiya M.D**

Consultant & Head – Microbiology

**Max Lab - A Division of Max Healthcare Institute Ltd.**

Swami Vivekananda Rd, near LIC, LIC Colony, Suresh Colony, Vile Parle West, Mumbai, Maharashtra 400056,

☎ Helpline No. 7982 100 200 🌐 [www.maxlab.co.in](http://www.maxlab.co.in) ✉ [feedback@maxlab.co.in](mailto:feedback@maxlab.co.in)

**Conditions of Reporting:** 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.





B2B3402760

## Thyroid Profile

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	




### About Thyroid Profile


It is a group of tests that helps to evaluate the functioning of thyroid gland and to help diagnose the disorders of thyroid.


These tests measure the levels of thyroid hormones such as freeT<sub>3</sub>, freeT<sub>4</sub> and TSH in the blood.


Hypothyroidism is a condition having low Free T<sub>3</sub>, Free T<sub>4</sub> levels and increased TSH levels while Hyperthyroidism is a condition having increased levels of free T<sub>3</sub>, Free T<sub>4</sub> and decreased levels of TSH.

#### Foods to eat in hypothyroidism

 Eggs, Meat, Fish, Vegetables, Fruits including all meats, including lamb, beef, chicken, etc.

 **Fruits:** including bananas, oranges, tomatoes..

 **Gluten-free grains and seeds:** rice, quinoa, chia seeds, and flax seeds


 **Dairy:** all dairy products, including milk, cheese, yogurt, etc.

### Your Results

#### Free T3 (Triiodothyronine) 2.36 pg/mL

● NORMAL


Triiodothyronine, also known as T<sub>3</sub>, is a thyroid hormone. It affects almost every physiological process in the body, including growth and development, metabolism, body temperature, and heart rate.



#### Free T4 (Thyroxine) 1.50 ng/dL

● NORMAL

T<sub>4</sub> also called Thyroxine is a hormone secreted by thyroid gland. It is increased in Hyperthyroidism and decreased in patients with decreased thyroid levels (Hypothyroidism).





B2B3402760

## Thyroid Profile


Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



**TSH: 0.522** mIU/L

● NORMAL

Thyroid Stimulating Hormone (TSH) or Thyrotropin, is hormone synthesized by Pituitary gland. It promotes the growth of thyroid cell and sustains and stimulates the hormonal secretion of T<sub>3</sub> and T<sub>4</sub>. TSH is Increased in primary Hypothyroidism.



## Thyroid disorders

**Hypothyroidism:** Caused by reduced production of thyroid hormones in your body, this leads to unintentional weight gain, fatigue, slow heart rate.

**Hyperthyroidism:** Caused by increased production of thyroid hormones in your body, this leads to unintentional weight loss, nervousness, rapid heart rate.

## Risk Factors



**Genetic:** If your family has thyroid disease, you are also at risk. Additionally, patients of auto-immune diseases -- like Type-1 diabetes -- are also at risk.



**Gender:** Women are more prone to thyroid diseases as compared to men. Additionally, pregnant women are at a slightly higher risk.

## Tips



**Over-stressing** slows down your thyroid function and is unhealthy. Get enough *sleep breathing techniques* and *meditation* to relax yourself.

**Yoga postures** like *bow pose, bridge pose, camel pose, cobra pose* and *fish pose* have shown good results in thyroid patients.

**Diet:Food items** such as *yogurt, milk, nuts, berries* should be taken. **Reduce** the intake of *soy and soy products*. Avoid *gluten* and *processed foods* as much as possible.

Max Lab - A Division of Max Healthcare Institute Ltd.

Swami Vivekananda Rd, near LIC, LIC Colony, Suresh Colony, Vile Parle West, Mumbai, Maharashtra 400056,

📞 Helpline No. 7982 100 200 🌐 [www.maxlab.co.in](http://www.maxlab.co.in) ✉ [feedback@maxlab.co.in](mailto:feedback@maxlab.co.in)

**Conditions of Reporting:** 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



B2B3402760

## Thyroid Profile

Name:

Age/Gender:

Max ID/Mobile:

Centre:

Lab ID:

Ref Doctor:

Passport No:

OP/IP No:

Collection Date/Time:

Receiving Date:

Reporting Date:



**Dr. Ami Varaiya M.D**

Consultant & Head – Microbiology

**Max Lab - A Division of Max Healthcare Institute Ltd.**

Swami Vivekananda Rd, near LIC, LIC Colony, Suresh Colony, Vile Parle West, Mumbai, Maharashtra 400056,

☎ Helpline No. 7982 100 200 🌐 [www.maxlab.co.in](http://www.maxlab.co.in) ✉ [feedback@maxlab.co.in](mailto:feedback@maxlab.co.in)

**Conditions of Reporting:** 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



B2B3402760

## Hepatitis

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



## Hepatitis

The inflammation of the Liver is called Hepatitis, it's a swelling that occurs because of injury or inflammation in the body tissue. The inflammation can damage your Liver and affect its functions.

**HBsAg: Non Reactive**

**Dr. Ami Varaiya M.D**

Consultant & Head – Microbiology

**Max Lab - A Division of Max Healthcare Institute Ltd.**

Swami Vivekananda Rd, near LIC, LIC Colony, Suresh Colony, Vile Parle West, Mumbai, Maharashtra 400056,

☎ Helpline No. 7982 100 200 🌐 [www.maxlab.co.in](http://www.maxlab.co.in) ✉ [feedback@maxlab.co.in](mailto:feedback@maxlab.co.in)

**Conditions of Reporting:** 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



B2B3402760

# Urinalysis

Name:	Lab ID:	Collection Date/Time:
Age/Gender:	Ref Doctor:	Receiving Date:
Max ID/Mobile:	Passport No:	Reporting Date:
Centre:	OP/IP No:	



## About Complete Urine Examination

Urine routine is a group of physical, chemical and microscopic tests in a urine sample. This test is mainly done to detect and manage medical conditions like urinary tract infection, diabetes and kidney diseases.

Many disorders can be detected by identifying substances that are not normally present in urine like protein, sugar, blood, bilirubin, crystals, casts and bacteria.

On microscopy If there is an increase in white blood cells, it signifies presence of urinary tract infection.

## Your Results


**Urine Colour: PALE YELLOW**

● NORMAL

**pH: 6.0.**

● NORMAL


pH test checks the acidity or alkalinity of urine. Many diseases, diet and medicine change the pH of urine.



**Specific Gravity: 1.010.**

● NORMAL

This test compares density of water to density of urine. This helps in checking how well your kidneys are diluting urine.



The following section contains names of chemicals that are NOT found in a healthy person's urine.(Each is an individual test performed on your sample).

Not found in your urine: ● Protein ● Ketone ● Blood ● Bilirubin ● Nitrite ● RBC ● Casts ● Crystals

Found in your urine: ● Leukocytes : 4-6 ● Bacteria : +

**Glucose in Urine: ABSENT** mg/dl

● NORMAL

NEGATIVE means good - it means that Glucose was not found in your urine - like for a normal, healthy person.



B2B3402760

# Urinalysis

Name: \_\_\_\_\_ Lab ID: \_\_\_\_\_ Collection Date/Time: \_\_\_\_\_  
Age/Gender: \_\_\_\_\_ Ref Doctor: \_\_\_\_\_ Receiving Date: \_\_\_\_\_  
Max ID/Mobile: \_\_\_\_\_ Passport No: \_\_\_\_\_ Reporting Date: \_\_\_\_\_  
Centre: \_\_\_\_\_ OP/IP No: \_\_\_\_\_



**Epithelial Cells: 8-10** NORMAL ●

Epithelial cells are a type of cell that form the surfaces of your body. Small amount of presence of these is normal, however high numbers indicate medical condition.

**Urobilinogen: NORMAL** NORMAL ●

Urobilinogen is formed from the reduction of bilirubin. If there is little or no urobilinogen, your liver might not be working properly. Too high urobilinogen could mean hepatitis.

## Tips



**Drink water when thirsty**

This removes waste products from your system and keeps your urinary pattern stable.



**Don't wait too long to use the restroom**

Otherwise, it pressurizes your urinary bladder - that can lead to infection.

**Dr. Ami Varaiya M.D**

Consultant & Head – Microbiology